




TRAILER



	OEM-No.	KONI	BUSH KIT	DIMENSIONS			
				L max	L min	d x L [mm]	
ACERBI							
	431191	⊗91-2264SP2	00	2700	692	425	24 x 52
	M001537	⊗91-2516	00	2130	474	322	20 x 55
ADR							
	7075	⊗91-2207	00	2285	498	330	24 x 55
ARABIAN AXLES							
	912377SP1	⊗91-2377	00	2285	538	350	24 x 55
ARVIN MERITOR							
	90 2210 SP1, 90 2210 SP2, 21221306K	⊗91-2227	00	1936	427	294	20 x 62
	90 2210, 21222271	⊗91-2400	00	2603	429	301	24 x 58
independent suspension	90 1904SP4, 21216058, 902317	⊗91-3052	00	2176	471	323	24 x 58
Indair	90 2321 / 90 2321SP1, 21224034	⊗90-2369	00	2176	474	322	24 x 58
Flexair 9000-11000	90 2368, 91 2368, 90 2368SP1, 90 2368SP2, 21224331, 21224531, 21224531B, 21224745, 90 2404	⊗91-2400	00	2603	429	301	24 x 58
Flexair 9000NB	90 2416, 90 2416SP1, 21224778	⊗91-2527	00	2603	369	273	24 x 58
Flexlite	90 2456, 21225104	⊗90-2629	00	2711	333	234	16 x 58
CS9LE Suspension	21229934	⊗91-2863	00		380	267	20 x 68
CS9TE Suspension (long)	21229935	⊗91-2864	00		424	290	20 x 68
ASCA							
	LEI 18000, 2700/52	⊗91-2227	00	1936	427	294	20 x 62
	21224531	⊗91-2400	00	2603	429	301	24 x 58
AUSTERAS							
	11048	⊗91-2400	00	2603	429	301	24 x 58
BANCE							
	8404174, 902317	⊗91-3052	00	1936	471	323	24 x 58
BARTOLETTI							
	91 610 259, 91 610 263, 91 610 264, 91 610 266, 91 610 267, 91 610 269, 91 610 272, 91 610 274, 91 610 275, 91 610 279	⊗91-2264SP2	00	2285	692	425	24 x 52
BATTAGLINO							
	2607000, 12650700799	⊗91-2227	00	1936	427	294	20 x 62
	2609000	⊗91-2207	00	2285	498	330	24 x 55
	2604800, 2607300	⊗91-2264SP2	00	2285	692	425	24 x 52
BENALU (SEE GENERAL TRAILERS)							
BERTOJA							
	45101010, 45101013, 423016002, 42301600200	⊗91-2227	00	1936	427	294	20 x 62
BOLGAN							
	30001002, 30001003	⊗91-2227	00	1936	427	294	20 x 62
BPW							
O series 6-10 ton	02.3702.10.00	⊗90-2017	00	2285	781	475	24 x 55
O series 6-10 ton / Heavy Duty	02.3702.10.00	⊗90-2024SP1	00	2285	791	478	24 x 55
O, ON, ONT, 3.6 - 5.5 ton	02.3702.14.00	⊗91-2207	00	2285	498	330	24 x 55
O, OM, OT	02.3702.16.00	⊗91-2207	00	2285	498	330	24 x 55
O, OM, OT, 6.5 -13 ton	02.3702.17.00	⊗90-2017	00	2285	781	475	24 x 55
O, OM, OT, 6.5 -13 ton / Heavy Duty	02.3702.17.00	⊗90-2024SP1	00	2285	791	478	24 x 55
O, OM, OT, ON, ONM, ONT	02.3702.18.00 / 02.3702.18.02	⊗90-2017	00	2285	781	475	24 x 55
O, OM, OT, ON, ONM, ONT / Heavy Duty	02.3702.18.00 / 02.3702.18.02	⊗90-2024SP1	00	2285	791	478	24 x 55
O, OM, OT, 6.5 - 13 ton	02.3702.19.00	⊗91-2207	00	2285	498	330	24 x 55
O, OM, OT, 6 -13 ton	02.3702.20.00 / 02.3702.20.02 / 02.3702.22.00	⊗91-2264	00	2285	694	429	24 x 55
O, OM, OT	02.3702.36.00	⊗91-2207	00	2285	498	330	24 x 55
O, OM, OT	02.3702.48.00	⊗91-2264	00	2285	694	429	24 x 55
O, OM, OT, 6.5 - 13 ton	02.3702.51.00 / 02.3702.51.02	⊗91-2264	00	2285	694	429	24 x 55
O, OM, OT, 6.5 - 13 ton	02.3702.52.00	⊗91-2207	00	2285	498	330	24 x 55
OM, OT, 6.5 - 13 ton // Heavy Duty	02.3702.60.00 / 02.3702.60.02	⊗90-2024SP1	00	2285	791	478	24 x 55
OM, OT, ON, ONM, ONT	02.3702.67.00 / 02.3702.67.02	⊗90-2017	00	2285	781	475	24 x 55
OM, OT, ON, ONM, ONT / Heavy Duty	02.3702.67.00 / 02.3702.67.02	⊗90-2024SP1	00	2285	791	478	24 x 55
OM, 6.5-13 ton	02.3702.70.00 / 02.3722.89.00 / 02.3722.89.02	⊗90-2316SP1	00	2285	429	296	24 x 55
OM, SL, 6.5-13 ton	02.3722.88.00 / 02.3722.88.02 / 02.3702.92.00	⊗91-2377	00	2285	538	350	24 x 55
LL, SL, ZZONT/ O, OM, OT	02.3722.14.00	⊗91-2207	00	2285	498	330	24 x 55
ZZONT/O, OM, OT, LL, SL	02.3722.83.00 / 02.3722.83.02 / 02.3722.90.00 / 02.3732.00.02	⊗91-2207	00	2285	498	330	24 x 55
BROSHUIS							
self steering axle / long stroke damper		⊗90-2408	10	2531	874	510	28 x 66
CALABRESE							
	128711209	⊗91-2264SP2	00	2285	692	425	24 x 52
CARDI							
	00500600, 00501000	⊗91-2264SP2	00	2285	692	425	24 x 52
	00501300, 00501310	⊗91-2207	00	2285	498	330	24 x 55
CORDERO							
	1303007	⊗91-2264SP2	00	2285	692	425	24 x 52
DISCOS (SEE MERCEDES BENZ)							
FLOOR							
	91 2792	⊗91-2792	00	2603	701	431	24 x 58
	90 2417, 4334, 22532	⊗90-1791SP2	1/1	1387	640	379	16 x 83
FRUEHAUF (SEE GENERAL TRAILERS)							
FUWA K-HITCH							
MBS 100 / 200 VDL - Weweler Suspension (Valx)	D8A91-9524W, D8K91-9524W, 80 120 001	⊗91-3111	00	2756	429	292	20 x 82 / 16 x 82

	OEM-No.	KONI	BUSH KIT	DIMENSIONS			
				L max	L min	d x L [mm]	
FUWA K-HITCH							
MBS 100 / 200 VDL - Weweler Suspension (Vaix)	D8A91-9531W D8K91-9531W, 80 120 002	⊗91-3252	∅∅		420	288	20 x 82 / 16 x 82
GENERAL TRAILERS							
	2376001002	⊗91-2229	∅∅	1936	476	318	20 x 62
		⊗91-2264	∅∅	2285	694	429	24 x 55
Indair	8401474, 90-2321SP1, 21224034	⊗90-2369	∅∅	2176	474	322	24 x 58
D34C1	UNA0074-999, 902317	⊗91-3052	∅∅	1936	471	323	24 x 58
NA	M0044020, M0044020H, M0078602	⊗90-5335	∅∅	1936	369	265	20 x 55
TA	MOO 1022, U-JB 0350	⊗91-2207	∅∅	2285	498	330	24 x 55
SA	MOO 1537, MOO 7950, M200052, M200133, U-JB 0364, U-JB 0563, U-JB 0565	⊗91-2516	∅∅	2130	467	316	20 x 55
SA	MO77800, U-JB 1147	⊗90-2632	∅∅	2130	708	435	20 x 55
GIGANT							
	196100, 196103, 196105, 196107, 196111, 196112, 196115, 196131, 02.3722.14.00, 451700112782	⊗91-2207	∅∅	2285	498	330	24 x 55
	196116	⊗90-2024SP1	∅∅	2285	791	478	24 x 55
GRANNING (REYCO-GRANNING)							
	12740	⊗91-2227	∅∅	1936	427	294	20 x 62
HENDRICKSON							
Turner model T23-US-6	A2218	⊗88-1458SP2	∅∅	2224	654	408	19 x 45
HT230 Australia / Shocks lean forward		⊗90-2396	∅∅	2224	448	302	19 x 45
HT230 Australia / Shocks lean backward	A-1667, A-20001, A-20002, A-20126, A-20889, B-23566, B-24088	⊗90-2396SP1	∅∅	2224	448	302	19 x 45
Discos HT250 MBE	81108002, 9463260000, HS251084, QD100001	⊗90-2543	∅∅	2308	393	270	20 x 50
HT250 TE	508571, AM758571, Y508571	⊗91-2400	∅∅	2603	429	301	24 x 58
JOST AXLE SYSTEMS							
DCA TE4/8C6-9 TZ5+TE5/8C7-9, TZ4 ((Engineered by Mercedes-Benz)	946 326 0500 / A946 326 0500	⊗91-3107	∅∅	2754	394	279	20 x 89 / 20 x 59
DCA- TE4/8C6-9 TZ5+TE5/8C7-9, TZ4 (Engineered by Mercedes-Benz)	946 326 0700 / A946 326 0700	⊗91-3108	∅∅	2754	429	294	20 x 89 / 20 x 59
KAISER							
	LE116500, 509020, 50-902-0, 902022	⊗91-2227	∅∅	1936	427	294	20 x 62
KÖGEL							
	21229934	⊗91-2863	∅∅		380	267	20 x 68
LANGENDORF							
	1244534	⊗91-2021	∅∅		476	317	24 x 55 (incl. 4 rings for L = 62 mm)
	912899, 1262139	⊗91-2899	∅∅		488	317	24 x 62
LECINENA							
	196107	⊗91-2207	∅∅	2285	498	330	24 x 55
HD Extended / Premium	91 2798	⊗91-2809	∅∅	1936	449	305	20 x 62
LECTRILER							
	02.3702.52.00	⊗91-2207	∅∅	2285	498	330	24 x 55
LEGRAS INDUSTRIES							
	21215742	⊗91-2227	∅∅	1936	427	294	20 x 62
LEVEQUES							
	902229	⊗91-2229	∅∅	1936	476	318	20 x 62
LOHR							
	06030510	⊗90-5230	∅∅		488	330	20 x 45
MENCI							
	2461	⊗91-2207	∅∅	2285	498	330	24 x 55
MERCEDES-BENZ							
DCA TE4/8C6-9 TZ5+TE5/8C7-9, TZ4	946 326 0500 / A946 326 0500	⊗91-3107	∅∅	2754	394	279	20 x 89 / 20 x 59
DCA- TE4/8C6-9 TZ5+TE5/8C7-9, TZ4	946 326 0700 / A946 326 0700	⊗91-3108	∅∅	2754	429	294	20 x 89 / 20 x 59
DLS	945 326 0200 / A946 326 0200	⊗91-2229	∅∅	1936	476	318	20 x 62
DLS	946 326 0300 / A946 326 0300	⊗91-2227	∅∅	1936	427	294	20 x 62
Discos Air suspension	0063264200, 0063264300, 946 326 0000, 946 326 0100, HS251084, QD100001, 81105002	⊗90-2543	∅∅	2308	393	270	20 x 50
MERITOR (SEE ARVIN MERITOR)							
MIELE							
	060AMM0504	⊗91-2227	∅∅	1936	427	294	20 x 62
	060AMM0505	⊗91-2207	∅∅	2285	498	330	24 x 55
	060AMM0506	⊗91-2264SP2	∅∅	2700	692	425	24 x 52
MISTRAL							
	7302	⊗91-2264SP2	∅∅	2700	692	425	24 x 52
NEWAY							
AR70 / 75 / 120 / 125, AR120US / 125US / 165US	AR-134-C, 90044001, 90044626, 90044679, 90044688	⊗88-1458SP2	∅∅	2224	654	408	19 x 45
AR75 / ARD124 / 238 / 244	AR-1654, 90044025, 90044682	⊗88-1457	∅∅	2224	749	453	19 x 45
NOMEK							
	7799	⊗91-2227	∅∅	1936	427	294	20 x 62
NOUOVA MANARO							
ROAD TANKERS	7075	⊗91-2207	∅∅	2285	498	330	24 x 55

	OEM-No.	KONI	BUSH KIT	DIMENSIONS			
				L max	L min	d x L [mm]	
O.M.T							
	22 450 420	⊗91-2227	∅∅	1936	427	294	20 x 62
OMAR							
	13612	⊗91-2227	∅∅	1936	427	294	20 x 62
PEZZAIOLI							
	7758	⊗91-2264SP2	∅∅	2700	692	425	24 x 52
	70100000	⊗91-2207	∅∅	2285	498	330	24 x 55
PIACENZA							
	1201054	⊗91-2264SP2	∅∅	2700	692	425	24 x 52
PRIM-BALL							
BPW	7075055	⊗91-2207	∅∅	2285	498	330	24 x 55
ROLFO							
X	112012	⊗91-2264SP2	∅∅	2700	692	425	24 x 52
S3363	112319	⊗91-2207	∅∅	2285	498	330	24 x 55
Car transporter	902921	⊗90-3232	∅∅		598	375	24 x 55
ROR (SEE ARVIN MERITOR)							
SAE							
	9302060	⊗91-2400	∅∅	2603	429	301	24 x 58
SAF							
	2.376.0027.00, 2.376.0035.00	⊗90-2316SP1	∅∅	2285	429	296	24 x 55
AR413	2.376.0003.00, 2.376.0003.01, 2.376.0003.02	⊗88-1613	∅∅	2224	621	388	20 x 45
AR413	2.376.0005.00, 2.376.0008.00	⊗91-2021	∅∅		476	317	24 x 55 (incl. 4 rings for L = 62 mm)
LF Axle	2.376.0010.00	⊗91-2021	∅∅		476	317	24 x 55 (incl. 4 rings for L = 62 mm)
AR413/EU416	2.376.0010.01	⊗91-2229	∅∅	1936	476	318	20 x 62
AR413, LF axle	2.376.0010.02	⊗91-2229	∅∅	1936	476	318	20 x 62
AR413 special	2.376.0014.00	⊗91-2229	∅∅	1936	476	318	20 x 62
AR316/416, LF axle	2.376.0018.00	⊗91-2229	∅∅	1936	476	318	20 x 62
EM311/411 / EO314/414	2.376.0026.00	⊗91-2207	∅∅	2285	498	330	24 x 55
Intradisc plus	2.376.0031.00	⊗91-2377	∅∅	2285	538	350	24 x 55
Intradisc plus II	2.376.0070.00, 2.376.0079.00	⊗91-2713	∅∅	2748	411	278	20 x 78 / 20 x 68
Intradisc plus II / Horizontal Application	2.376.0070.01	⊗91-2713	∅∅	2748	411	278	20 x 78 / 20 x 68
Intradisc plus II	2.376.0071.00, 2.376.0080.00, 2.376.0085.00	⊗91-2714	∅∅	2748	489	315	20 x 78 / 20 x 68
Intradisc plus II / Horizontal Application	2.376.0071.01	⊗91-2714	∅∅	2748	489	315	20 x 78 / 20 x 68
Intradisc plus II	2.376.0072.00, 2.376.0081.00	⊗91-2715	∅∅	2748	532	335	20 x 78 / 20 x 68
Intradisc plus II / Horizontal Application	2.376.0072.01	⊗91-2715	∅∅	2748	532	335	20 x 78 / 20 x 68
SAMRO							
	371424, 501400, 2500002, 2500342	⊗90-5222	∅∅	1936	475	325	20 x 62
	21215742	⊗91-2227	∅∅	1936	427	294	20 x 62
9-ton static load capacity (replaces 90-2317)	21216058, 21208363, 902317	⊗91-3052	∅∅	1936	471	323	24 x 58
SCHMITZ CARGOBULL							
	013250, 013961, 10420044, 28363, 196103, 40.762.0, 40.887.1	⊗91-2207	∅∅	2385	498	330	24 x 55
	013290, 016271, 1079383	⊗91-2377	∅∅	2285	538	350	24 x 55
	013774, 016270, 017750	⊗90-2316SP1	∅∅	2285	429	296	24 x 55
Weweler Suspension	91 2637, 90 2398 / 91 2398,	⊗91-2229	∅∅	1936	476	318	20 x 62
Weweler Suspension	91 2643, 90 2022 / 91 2022, D8K(A)91-2643W, 015531, 015978, 017090	⊗91-2227	∅∅	1936	427	294	20 x 62
Rotos - Weweler Suspension	1086689, 1093975, 91 2565, 16508, 9510S, D8A912565S, UR600087	⊗91-2754	∅∅	2711	381	265	16 x 58
MRH3M30	D8A91-2801, DW912801A, 912801, 1008054, 9520S, 9560S, 1093977, UR600088	⊗91-2801	∅∅	2711	381	265	16 x 82 / 16 x 58
SMB (SEE GENERAL TRAILERS)							
TOUGHLINE							
PTL range, PTS 38-80L	13050	⊗91-2400	∅∅	2603	429	301	24 x 58
PTS 38-85B	12740	⊗90-2036	∅∅	1936	429	296	20 x 62
VALX							
MBS 100 / 200 Weweler Suspension	D8A91-9524W, D8K91-9524W, 80 120 001	⊗91-3111	∅∅	2756	429	292	20 x 82 / 16 x 82
MBS 100 / 200 Weweler Suspension	D8A91-9531W D8K91-9531W, 80 120 002	⊗91-3252	∅∅		420	288	20 x 82 / 16 x 82
VIBERTI							
	7299, 178 711 204, 178 711 207, 178 711 209	⊗91-2264SP2	∅∅	2285	692	425	24 x 52
WEWELER							
	D8K(A)91-2640W, 018187	⊗91-2809	∅∅	1936	449	305	20 x 62
	D8K91-9528W	⊗91-3225	∅∅		382	267	20 x 80 / 20 x 62
	D8A91-9527W, D8K91-9527W	⊗91-3254	∅∅		397	274	20 x 82 / 16 x 82

	OEM-No.			BUSH KIT	DIMENSIONS		
					L max	L min	d x L [mm]
WEWELER							
MRH3M30	D8A91-2801, DW912801A, 912801, 1008054, 9520S, 9560S, 1093977, UR600088	⊗91-2801	∅∅	2711	381	265	16 x 82 / 16 x 58
MRH3M30	90 2036, 9514	⊗90-2036	∅∅	1936	429	296	20 x 62
HD Extended / Premium	91 2798, UR600101	⊗91-2809	∅∅	1936	449	305	20 x 62
MOLEKUUL Ultra-Lite Special	90 2244, 902244B	⊗90-2244	∅∅	1936	368	265	20 x 62
FLEXAIR FL041, SCHMITZ	91 2643, 91 2022, 90 2022, D8K(A)91-2643W	⊗91-2227	∅∅	1936	427	294	20 x 62
MEGA	90 2194, 91 2194	⊗91-2229	∅∅	1936	476	318	20 x 62
MEGA-LITE	90 2267	⊗90-2267	∅∅	1936	519	341	20 x 62
SCHMITZ	91 2637, 91 2398, D8K(A)91-2637W	⊗91-2229	∅∅	1936	476	318	20 x 62
SCHMITZ ROTOS	1086689, 1093975, 91 2565, 16508, 9510S, D8A912565S, UR600087	⊗91-2754	∅∅	2711	381	265	16 x 58
MBS 100 / 200 Weweler Suspension	D8A91-9524W, D8K91-9524W, 80 120 001	⊗91-3111	∅∅	2756	429	292	20 x 82 / 16 x 82
MBS 100 / 200 Weweler Suspension	D8A91-9531W D8K91-9531W, 80 120 002	⊗91-3252	∅∅		420	288	20 x 82 / 16 x 82
WIGCHERS							
		⊗90-2100	I/I	1387	822	469	Pin / Pin
ZORZI							
	1006610, 1006611	⊗91-2227	∅∅	1936	427	294	20 x 62



09/2017

SINCE 1857 | koni.com

