



AR120US/125US/165US									
AR75 / ARD124/238/244	90044025	Ⓢ88 1457	O/O	2224	750	455	19 X 45		
AR90	90044089	Ⓢ88 1490	O/O	2224	553	352	19 X 45		
AR75	90044626	Ⓢ88 1458SP2	O/O	2224	655	402	19 x 45		
AR70/75/120/125	90044679	Ⓢ88 1458SP2	O/O	2224	655	402	19 x 45		
AR120US/125US/165US									
AR75 / ARD124/238/244	90044682	Ⓢ88 1457	O/O	2224	750	455	19 X 45		
AR90	90044684	Ⓢ88 1490	O/O	2224	553	352	19 X 45		
AR75	90044688	Ⓢ88 1458SP2	O/O	2224	655	402	19 x 45		
O.M.T.									
	22 450 420	⊗Ⓢ91 2227	O/O	1936	429	296	20 x 62	Replaces 90 2227	
ROLFO									
	112320	Ⓢ90 2853	O/O		429	296	24 x 52		
		Ⓢ90 2921	O/O		593	375	24 x 52		
ROR									
See Arvin Meritor									
SAF									
AR314/414	2.376.0002.00	Ⓢ88 1524	O/O	2224	624	395	19 x 45		
AR413	2.376.0003.00	88 1613	O/O	2707	620	385	20 x 45		
	2.376.0003.01								
	2.376.0003.02								
AR413	2.376.0005.00	Ⓢ91 2021	O/O	2285	479	321	24 x 55	Incl. 4 rings for L = 62mm	
	2.376.0006.00							Replaces 90 2021SP2	
	2.376.0008.00								
LF axle	2.376.0010.00								
AR413/EU416	2.376.0010.01	⊗Ⓢ91 2229	O/O	1936	479	321	20 x 62	Replaces 90 2229	
AR413, LF axle	2.376.0010.02								
AR413 special	2.376.0014.00								
AR316/416, LF axle	2.376.0018.00								
	2.376.0019.00	Ⓢ90 2674	O/O	2258	751	465	24 x 55		
	2.376.0020.00	⊗Ⓢ90 2455	O/O	1936	560	362	20 x 62		
EM311/411	2.376.0026.00	⊗Ⓢ91 2207	O/O	2285	500	330	24 x 55	Replaces 90 2207	
EO314/414									
	2.376.0027.00	⊗Ⓢ90 2316SP1	O/O	2285	429	296	24 x 55		
Intradisc plus	2.376.0031.00	⊗Ⓢ91 2377	O/O	2285	540	350	24 x 55	Replaces 90 2377	
Intradisc plus II	2.376.0070.00	⊗Ⓢ91 2713	O/O		413	278	20 x 78	Upper attachment	
	Horizontal appl.						20 x 68	Lower attachment	
Intradisc plus II	2.376.0071.00	⊗Ⓢ91 2714	O/O		491	315	20 x 78	Upper attachment	
	Horizontal appl.						20 x 68	Lower attachment	
Intradisc plus II	2.376.0072.00	⊗Ⓢ91 2715	O/O		532	335	20 x 78	Upper attachment	
	Horizontal appl.						20 x 68	Lower attachment	
Self steering axle	Steering damper	90 2393SP1	O/O	2285	656	414	24 x 55	Horizontal appl.	
SAMRO									
	1752446	Ⓢ88 1490	O/O	2224	553	355	19 X 45		
	90044089								
	1752492	▲88 5162	O/O	2224	750	452	19 X 45		
	1752498								
	90044025								
	1752496	▲88 5163	O/O	2224	657	405	19 X 45		
	90044001								
	90044679								
	2500192	▲90 5216	O/O	1936	550	365	20 X 62		
	371424	90 5222	O/O	1936	475	325	20 X 62		
	501400								
	2500002								
	2500342								
	503100	▲90 5235	O/O	1936	477	327	20 X 62		
	2500001								
	2500341								
	21216058	⊗Ⓢ90 2317	O/O	2176	472	330	24 X 58		
	21208363								
	21215742	⊗Ⓢ91 2227	O/O	1936	429	296	20 X 62	Replaces 90 2227	
	21215608	⊗Ⓢ90 2228	O/O	1936	429	296	20 X 62		
SCHMITZ									



MAKE MODEL	DAMPER CONSTRUCTION	OE NUMBER	KONI		BUSH KIT	DIMENSIONS			REMARKS
						L max	L min	d x L (mm)	
ZORZI	Continued								